

( )

	( )		
	91320891094404566T		
		8	0517-835168888
	(Flexible Printed Circuit FPC ) 3C ISO9001 ISO14001 ISO14064 OHSAS18001		

					1		
			/	mg/L		mg/L	
				35.667	29.775	400	
				6.163	5.145	35	
					7		
			/	mg/m <sup>3</sup>		mg/m <sup>3</sup>	
1#	A05			2.12	0.29	120	
2#	A05			2.33	0.89	45	
				2.06	0.79	100	
				ND	0	/	
				0.02	0.01	/	
				ND	0	/	
				ND	0	190	
3#	A05			ND	0	0.5	

				5.13	0.94	240	
4#	A05			ND	0	/	
5#	A05		VOCs	0.07	0.02	120	
				ND	0	/	
				0.01	0.002	/	
6#	A17			1.86	0.10	100	
				1.22	0.06	45	
				2.67	0.14	240	
7#	A17			2.64	0.12	45	
				1.26	0.06	100	
				11.13	0.52	240	
				GB16297-1996	2		
				GB21900-2008	5		

25L		24.300
		0.768
		2.205
		0
		1.436
		1.720
		599.514
		31.227
		4.730
		4.232

/		91.960
/		7.780
		68.000
		78.060
		13.660
FPC		90.087
PP		2.190
PP		1.620
		406.760
		5.992

--	--	--	--	--

	Leq	Leq	Leq	Leq	
	49.3	47.1	65	55	
	49.8	47.4			
	50.6	48.8			
	51.1	49.0			

		2016 2	6000 /	
		2016 2	65.0 /	

		2014-10-31	[2014]2 84		2017-01 -10	20170 01
1 10T		2016-10-18	[2016]0 45		2017-09 -06	

110kv		2015-09-30	[2015]0 25	2017-09 -22
-------	--	------------	---------------	----------------

( ) 1440 /		2017-12-25	[2017]0 56	
10T		2018-12-29	[2018]0 50	
		2018-02-13	[2018]0 11	
110		2018-05-15	[2018]0 01	

			2020-01-13

	<p>1</p> <p>( )</p> <p>2016</p> <p>480</p> <p>2</p>
--	---

	<p>,</p>
--	----------



	<ol style="list-style-type: none"><li>1. COD</li><li>2.</li></ol>
--	---